





# JINDAL INDUSTRIES

Manufacturer of Gas Cylinder Valves & High Precision Products





# PRODUCTS

LPG Self Closing Valves
Industrial Gas Valves
Refrigerant Gas Valves
Medical Gas Valves
LPG Gas Valves
Brass Ceramic Disc Cartridges
Brass Hex Extension Nipples

# CATALOGUE

We are ISO9001 certified manufacturer of Brass Valves for Gas Cylinders (LPG, Industrial Gas, Refrigerant Gas & Medical Gas) and High Precision Goods in India. We have complete in-house manufacturing facilities with an annual production capacity of approx. 6 million pcs. including Testing Laboratory. Our customer list includes Indian Oil Corporation Ltd. (IOCL), Bharat Petroleum Corporation Ltd. (BPCL), Hindustan Petroleum Corporation Ltd. (HPCL) and more than 50 Cylinder Manufacturers from India. We are also the approved vendor of Defence where we have successfully supplied goods to OFB, Defence Organisation of India. We have been into manufacturing since 2016.

We have our own Design and Development Team that can produce the product according to the customer's requirements.

# ABOUT US

## LPG SELF CLOSING VALVES

We are the approved vendor of Indian PSUs namely;

- 1. Bharat Petroleum Corporation Limited (BPCL)
- 2. Hindustan Petroleum Corporation Limited (HPCL)
- 3. Indian Oil Corporation Limited (IOCL)

certified by Bureau of Indian Standards (BIS) & Petroleum & Explosives Safety Organization (PESO).

Since 2016, we are serving to different parts of India with Quality as our priority and meeting our esteemed Customer's requirements. With such focus, today we are supplying to more that 50 Cylinder manufacturers.

(Annual Capacity: 6 million pieces)



### PRODUCT ID: L-SCV/220 & L-SCV/256

Approved according to	IS 8737:2017
Material	Brass (Extruded Rod)
Body	Forged
Gas Type	LPG
Working Pressure	17 kgf/cm²
Size	22.00 mm & 25.6 mm
Marking	ISI
Approved By	Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)

## INDUSTRIAL GAS VALVE

# Oxygen Cylinder Valve (PRODUCT ID: I-OXK3/42/2040001)

Approved according to	IS 3224:2
Material	Brass (Ex
Body	Forged
Gas Type	Oxygen
Working Pressure	204 kgf/
HST Pressure	306 kgf/
Inlet Size	Type 4, 9
Outlet No.	3 (as per
Operating	Кеу Оре
Marking	ISI
Approved By	Bureau o

IS 3224:2021 Brass (Extruded Rod) Forged Oxygen 204 kgf/cm<sup>2</sup> 306 kgf/cm<sup>2</sup> Type 4, Size 2 (25.4 x 1.814) 3 (as per IS 3224) Key Operated ISI Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)



## INDUSTRIAL GAS VALVE

# Carbon Dioxide Cylinder Valve (PRODUCT ID: I-CDK7/42/1600002)

Approved according to Material Body Gas Type Working Pressure HST Pressure Bursting Pressure of Safety Disc Inlet Size Outlet No. Operating Marking Approved By IS 3224:2021 Brass (Extruded Rod) Forged Carbon Dioxide 160 kgf/cm<sup>2</sup> 240 kgf/cm<sup>2</sup> 200-250 kgf/cm<sup>2</sup> Type 4, Size 2 (25.4 x 1.814) 7 (as per IS 3224) Key Operated ISI Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)



## INDUSTRIAL GAS VALVE

## Carbon Dioxide Cylinder Valve (PRODUCT ID: I-CDH7/42/1600003)

Approved according to Material Body Gas Type Working Pressure HST Pressure Bursting Pressure of Safety Disc Inlet Size Outlet No. Operating Marking Approved By

**INDUSTRIAL GAS VALVES** 

IS 3224:2021 Brass (Extruded Rod) Forged Carbon Dioxide 160 kgf/cm<sup>2</sup> 240 kgf/cm<sup>2</sup> 200-250 kgf/cm<sup>2</sup> Type 4, Size 2 (25.4 x 1.814) 7 (as per IS 3224) Handwheel Operated ISI Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)



## **REFRIGERANT GAS VALVE**

# Refrigerant Cylinder Valve (PRODUCT ID: R-K5/42/2040001)

Approved according to	IS 3224:202
Material	Brass (Extru
Body	Forged
Gas Type	Refrigerant
Working Pressure	204 kgf/cm <sup>2</sup>
HST Pressure	306 kgf/cm <sup>2</sup>
Inlet Size	Type 4, Size
Outlet No.	5 (as per IS 3
Operating	Key Operate
Marking	ISI
Approved By	Bureau of In


IS 3224:2021 Brass (Extruded Rod) Forged Refrigerant 204 kgf/cm<sup>2</sup> 306 kgf/cm<sup>2</sup> Type 4, Size 2 (25.4 x 1.814) 5 (as per IS 3224) Key Operated ISI Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)



## MEDICAL GAS VALVE

# Medical Oxygen Cylinder Valve (PRODUCT ID: M-OXK3/42/2040001)

Approved according to Material Body Gas Type Finish Working Pressure HST Pressure Inlet Size Outlet No. Operating Marking Approved By IS 3224:2021 Brass (Extruded Rod) Forged Medical Oxygen Nickel-Chrome Plated (For Medical Use) 204 kgf/cm<sup>2</sup> 306 kgf/cm<sup>2</sup> Type 4, Size 2 (25.4 x 1.814) 3 (as per IS 3224) Handwheel Operated ISI Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)



LIQUEFIED PETROLEUM GAS (LPG)

# Liquid Off-take Valve (LOT) with Excess Flow Device (PRODUCT ID: L-LOT/075)

Approved according to	IS 16484:2017
Material	Brass (Extruded Rod)
Body	Forged
Gas Type	LPG
Working Pressure	1.67 MPa
HST Pressure	26 kgf/cm <sup>2</sup>
Safety Relief Valve Setting	20 kgf/cm <sup>2</sup>
Relief Valve Flow Capacity	6 m³/min
Inlet Connection	3/4" 14NGT
Outlet Connection	1-1/4" 5ACME
Marking	ISI
Approved By	Bureau of Indian Standards (BIS) Petroleum & Explosives Safety Organization (PESO)



### **BRASS CERAMIC DISC CARTRIDGES**



#### PRODUCT ID: B-CRTQ/050

Material Brass (Extruded Rod) Body Forged Size 1/2 inch Type Quarter-turn Brass Ceramic Disc Cartridge is a crucial component in modern faucet systmes, providing reliable control over water flow and temperature. We use Extruded Brass Rods which are further forged for manufacturing providing high durability and strength. We use high quality ceramic disc which regulates the movement of water, allowing for smooth and precise adjustments. Our cartridges are known for longetivity and resistance to wear, contributes to the overall durability and performance

#### PRODUCT ID: B-CRTQ/220150

Brass
(Extruded Rod)
Forged
22 x 1.5
Quarter-turn





#### PRODUCT ID: B-CRTQ/075

S
uded Rod)
ed
inch
rter-turn

#### PRODUCT ID: B-CRTQ/280150

Material	Brass
	(Extruded Rod)
Body	Forged
Size	28 x 1.5
Туре	Quarter-turn



#### BRASS CERAMIC DISC CARTRIDGES

JINDAL INDUSTRIES

## **BRASS HEX EXTENSION NIPPLES**

Extension Nipples are used to extend the wall socket connections beyond the tile line so that taps, faucets and valves can easlity be tightened without damage to the taps or the tiles.

Extension nipples are available in various sizes to accomodate the thickness of the plaster and the tile.

WHY WE?

- 1. The Extension Nipples are made from HIGH TENSILE BRASS (Extruded).
- 2. Chrome Plated for added Corrosion Resistance.
- 3. The Extension Nipples are Forged for High Strength body & walls.
- 4. The Extension Nipples are machined on CNC for High Quality nipples for ease of fitting & removal.



#### P.ID: B-HEXNI/300



### JINDAL INDUSTRIES

Mfg. Unit: Village Rampur Jattan, Nahan Road, Kala Amb (Pincode: 173030), Himachal Pradesh, India

> info@jindalind.com Ph. +91-9023434757 www.jindalind.com